

MICROPHONE

PRODUCT CODE	PRODUCT NAME	SKU	PHOTO	HIGHLIGHTS	MSRP (EUR)
2.4GHz Wireless Microphone System					
ck020	Vocal X V1 3.5mm Output, 1RX 1TX, 2.4GHz Wireless Mic System	Vocal X V1		3.5mm Output 2.4GHz Dual-Channel Wireless Microphone •Dual-channel receiver for camera & mobile, mixers and etc •Colour OLED display on both transmitter and receiver •Up to 150M stable working distance(without obstacles) •Mono & Stereo output selectable - cut filter (40Mhz,80Mhz & 120Mhz) switchable - Treble recording model switchable •3.5mm headphone monitor - Mic Input & Line Input compatible - in Mic & External Mic selectable - hours battery life with Type-C charging port •Includes: Type-C charging cable, TRS & TRRS output cable, Built-in Mic furry windscreen • Low •Bass & •Both •Built- •12 •Dimension:	109
ck021	Vocal X V2 3.5mm Output, 2:1 2TX 1RX, 2.4GHz Wireless Mic System	Vocal X V2		3.5mm Output 2.4GHz Dual-Channel Wireless Microphone •Dual-channel receiver for camera & mobile, mixers and etc •Colour OLED display on both transmitter and receiver •Up to 150M stable working distance(without obstacles) •Mono & Stereo output selectable - cut filter (40Mhz,80Mhz & 120Mhz) switchable - Treble recording model switchable •3.5mm headphone monitor - Mic Input & Line Input compatible - in Mic & External Mic selectable - hours battery life with Type-C charging port •Includes: Type-C charging cable, TRS & TRRS output cable, Built-in Mic furry windscreen •Low •Bass & •Both •Built- •12 •Dimension:	135

ck032	ck032	Vocal X V1W	 	3.5mm Output 2.4GHz Dual-Channel Wireless Microphone •Dual-channel receiver for camera & mobile, mixers and etc •Colour OLED display on both transmitter and receiver •Up to 150M stable working distance(without obstacles) •Mono & Stereo output selectable - cut filter (40Mhz,80Mhz & 120Mhz) switchable - Treble recording model switchable •3.5mm headphone monitor - Mic Input & Line Input compatible - in Mic & External Mic selectable - hours battery life with Type-C charging port •Includes:Type-C charging cable, TRS & TRRS output cable, Built-in Mic furry windscreen	•Low •Bass & •Both •Built- •12 •Dimension:	109
ck022	Vocal X V2W 3.5mm Output, White, 2:1 2TX 1RX, 2.4GHz Wireless Mic System	Vocal X V2W	 	3.5mm Output 2.4GHz Dual-Channel Wireless Microphone •Dual-channel receiver for camera & mobile, mixers and etc •Colour OLED display on both transmitter and receiver •Up to 150M stable working distance(without obstacles) •Mono & Stereo output selectable - cut filter (40Mhz,80Mhz & 120Mhz) switchable - Treble recording model switchable •3.5mm headphone monitor - Mic Input & Line Input compatible - in Mic & External Mic selectable - hours battery life with Type-C charging port •Includes: Type-C charging cable, TRS & TRRS output cable, Built-in Mic furry windscreen	•Low •Bass & •Both •Built- •12 •Dimension:	135
ck023	Vocal X V3 Type-C Output, 1RX 1TX, 2.4GHz Wireless Mic System	Vocal X V3	 	Type-C Output 2.4GHz Dual-Channel Wireless Microphone •Dual-channel receiver for Type-C devices •Colour OLED display on both transmitter and receiver •Up to 150M stable working distance(without obstacles) •Mono & Stereo output selectable - cut filter (40Mhz,80Mhz & 120Mhz) switchable - Treble recording model switchable •3.5mm headphone monitor - Mic Input & Line Input compatible - in Mic & External Mic selectable - hours battery life with Type-C charging port •Includes: Type-C charging cable, Built-in Mic furry windscreen	•Low •Bass & •Both •Built- •12 •Dimension:	99

ck024	Vocal X V4 Type-C Output, 2:1 2RX 1TX, 2.4GHz Wireless Mic System	Vocal X V4	 	Type-C Output 2.4GHz Dual-Channel Wireless Microphone •Dual-channel receiver for Type-C devices •Colour OLED display on both transmitter and receiver •Up to 150M stable working distance(without obstacles) •Mono & Stereo output selectable - cut filter (40Mhz,80Mhz & 120Mhz) switchable - Treble recording model switchable •3.5mm headphone monitor - Mic Input & Line Input compatible - in Mic & External Mic selectable - hours battery life with Type-C charging port •Includes: Type-C charging cable, Built-in Mic furry windscreen	•Low •Bass & •Both •Built- •12	135
ck025	Vocal X V5 Apple Lightning Output, 1TX 1RX, 2.4GHz Wireless Mic System	Vocal X V5	 	Apple Lightning Output 2.4GHz Dual-Channel Wireless Microphone •Dual-channel receiver for Lightning devices •Colour OLED display on both transmitter and receiver •Up to 150M stable working distance(without obstacles) •Mono & Stereo output selectable - cut filter (40Mhz,80Mhz & 120Mhz) switchable - Treble recording model switchable •3.5mm headphone monitor - Mic Input & Line Input compatible - in Mic & External Mic selectable - hours battery life with Type-C charging port •Includes: Type-C charging cable, Built-in Mic furry windscreen	•Low •Bass & •Both •Built- •12	119
ck026	Vocal X V6 Apple Lightning Output, 2:1 2 TX 1RX, 2.4GHz Wireless Mic System	Vocal X V6	 	Apple Lightning Output 2.4GHz Dual-Channel Wireless Microphone •Dual-channel receiver for Lightning devices •Colour OLED display on both transmitter and receiver •Up to 150M stable working distance(without obstacles) •Mono & Stereo output selectable - cut filter (40Mhz,80Mhz & 120Mhz) switchable - Treble recording model switchable •3.5mm headphone monitor - Mic Input & Line Input compatible - in Mic & External Mic selectable - hours battery life with Type-C charging port •Includes: Type-C charging cable, Built-in Mic furry windscreen	•Low •Bass & •Both •Built- •12	159
ck027	Vocal X RX 3.5mm Output Receiver for 2.4GHz Wireless Mic System	Vocal X RX	 	3.5mm Output Receiver 3.5mm Receiver •Includes: Type-C charging cable, TRS & TRRS output cable •Dimension: 56x38x17mm; Weight: 30g	•1x	82

	ck028	Vocal X RCX Type-C Output Receiver for 2.4GHz Wireless Mic System	Vocal X RCX	 	Type-C Output Receiver •1x Type-C Receiver	75
	ck029	Vocal X RLX Apple Lightning Output Receiver for 2.4GHz Wireless Mic System	Vocal X RLX	 	Apple Lightning Output Receiver •1x Lightning Receiver	90
	ck030	Vocal X TX Transmitter for 2.4GHz Wireless Mic System	Vocal X TX	 	Transmitter Transmitter •Includes: Type-C charging cable, Built-in Mic furry windscreen •1x	67
	ck031	Vocal X TXW Transmitter White for 2.4GHz Wireless Mic System	Vocal X TXW	 	Transmitter Transmitter •Includes: Type-C charging cable, Built-in Mic furry windscreen •1x	67

UHF Wireless Microphone System (Professional)

ck001	Vocal M V1 1 TX 1 RX, UHF Wireless Mic System	Vocal M V1		UHF Dual-Channel Wireless Microphone System With Independent Audio Recorder • Dual-channel receiver for camera, mobile, computer & mixer and etc • Colour OLED display on both transmitter and receiver • Detachable and 360°switchable antenna • Operating Range: 150M (Line of Sight) • Mono & Stereo output selectable • Mic Input & Line Input switchable • Real-time headphone monitor on receiver • Real-time & Play-back headphone monitor on transmitter • Support up to 32GB MicroSD card for memory recording • Low cut filter (40Mhz,80Mhz & 120Mhz) • High frequency boost(1dB/2dB/3dB/4dB) • Mute & Lock function on both transmitter & receiver • Built-in rechargeable battery with 12 hours life • Durable aluminum alloy construction • Includes: Lavalier Mic, Type-C charging cable, TRS & TRS output cable, TRS to XLR output cable & Suitcase • Dimension: 56x80x22mm	279
ck002	Vocal M V2 2:1 2TX 1RX, UHF Wireless Mic System	Vocal M V2		UHF Dual-Channel Wireless Microphone System With Independent Audio Recorder • Dual-channel receiver for camera, mobile, computer & mixer and etc • Colour OLED display on both transmitter and receiver • Detachable and 360°switchable antenna • Operating Range: 150M (Line of Sight) • Mono & Stereo output selectable • Mic Input & Line Input switchable • Real-time headphone monitor on receiver • Real-time & Play-back headphone monitor on transmitter • Support up to 32GB MicroSD card for memory recording • Low cut filter (40Mhz,80Mhz & 120Mhz) • High frequency boost(1dB/2dB/3dB/4dB) • Mute & Lock function on both transmitter & receiver • Built-in rechargeable battery with 12 hours life • Durable aluminum alloy construction • Includes: Lavalier Mic, Type-C charging cable, TRS & TRS output cable, TRS to dual-head	399

	ck003	Vocal M V3 1TX (plug-on XLR) 1RX, UHF Wireless Mic System	Vocal M V3		UHF Dual-Channel Wireless Microphone System With Independent Audio Recorder •Dual-channel receiver for camera, mobile, computer & mixer and etc •Colour OLED display on both transmitter and receiver •Detachable and 360°switchable antenna •Operating Range: 150M (Line of Sight) •Mono & Stereo output selectable •+48V phantom power •Real-time headphone monitor on receiver •Real-time & Play-back headphone monitor on transmitter •Support up to 32GB MicroSD card for memory recording •Low cut filter (40Mhz,80Mhz & 120Mhz) •High frequency boost(1dB/2dB/3dB/4dB) •Mute & Lock function on both transmitter & receiver •Built-in rechargeable battery with 12 hours life •Durable aluminum alloy construction •Includes: Type-C charging cable, TRS & TRS output cable, TRS to XLR output cable & Suitcase •Dimension:	279
	ck004	Vocal M V4 2:1 2TX (plug-on XLR) 1RX, UHF Wireless Mic System	Vocal M V4		UHF Dual-Channel Wireless Microphone System With Independent Audio Recorder •Dual-channel receiver for camera, mobile, computer & mixer and etc •Colour OLED display on both transmitter and receiver •Detachable and 360°switchable antenna •Operating Range: 150M (Line of Sight) •Mono & Stereo output selectable •+48V phantom power on plug-on transmitter •Mic Input & Line Input switchable on 3.5mm connector transmitter •Real-time headphone monitor on receiver •Real-time & Play-back headphone monitor on transmitter •Support up to 32GB MicroSD card for memory recording •Low cut filter (40Mhz,80Mhz & 120Mhz) •High frequency boost(1dB/2dB/3dB/4dB) •Mute & Lock function on both transmitter & receiver •Built-in rechargeable battery with 12 hours life •Durable aluminum alloy construction •Includes: Lavalier Mic, Type-C charging cable, TRS & TRS output cable, TRS to dual-head	399

	ck005	Vocal M RX Receiver for UHF Wireless Mic System	Vocal M RX		UHF Dual-Channel Wireless Microphone System With Independent Audio Recorder •Dual-channel wireless portable receiver •Includes: , Type-C charging cable, TRS & TRS output cable, TRS to XLR output cable •Dimension: 56x80x22mm; Weight: 135g	149
	ck006	Vocal M TX Transmitter for UHF Wireless Mic System	Vocal M TX		UHF Dual-Channel Wireless Microphone System With Independent Audio Recorder •Body-pack transmitter •Includes: , Type-C charging cable & lavalier microphone •Dimension: 56x80x22mm; Weight: 125g	149
	ck007	Vocal M TLX Plug-on XLR Transmitter for UHF Wireless Mic System	Vocal M TLX		UHF Dual-Channel Wireless Microphone System With Independent Audio Recorder •Plug-on XLR Transmitter •Includes: , Type-C charging cable •Dimension: 45.5x44x112mm; Weight: 125g	149
Headset & Lavalier Microphone for Wireless System						
	ck050	W-LM1 Gold-Plated TRS Clip-on Lav Mic for Wireless System	W-LM1		Clip-on Omnidirectional Lavalier Microphone for Wireless System •Omni Polar Pattern for 360° Pickup •Gold-Plated 3.5mm TRS Connector •Wide 20Hz to 20 kHz frequency response •Compatible with many 3.5mm TRS connector Transmitters •Durable reinforced cable with 1.5m length •Colour: Black	60

	ck051	W-LM1W Gold-Plated TRS White Clip-on Lav Mic for Wireless System	W-LM1W		Clip-on Omnidirectional Lavalier Microphone for Wireless System •Omni Polar Pattern for 360° Pickup •Gold-Plated 3.5mm TRS Connector •Wide 20Hz to 20 kHz frequency response •Compatible with many 3.5mm TRS connector Transmitters •Durable reinforced cable with 1.5m length •Colour: White	60
	ck052	W-LM2 Gold-Plated Locking TRS Clip-on Lav Mic for Wireless System	W-LM2		Clip-on Omnidirectional Lavalier Microphone for Wireless System •Omni Polar Pattern for 360° Pickup •Gold-Plated Locking 3.5mm TRS Connector •Wide 20Hz to 20 kHz frequency response •Compatible with many 3.5mm TRS connector Transmitters •Durable reinforced cable with 1.5m length •Colour: Black	60
	ck053	W-LM2W Gold-Plated Locking White TRS Clip-on Lav Mic for Wireless System	W-LM2W		Clip-on Omnidirectional Lavalier Microphone for Wireless System •Omni Polar Pattern for 360° Pickup •Gold-Plated Locking 3.5mm TRS Connector •Wide 20Hz to 20 kHz frequency response •Compatible with many 3.5mm TRS connector Transmitters •Durable reinforced cable with 1.5m length •Colour: White	60
	ck054	LPM1 3.5mm TRS connector with Lock	LPM1		•3.5mm TRS connector with Lock •Professional omnidirectional condenser microphone •Compatible with brands : CKMOVA, RODE, Sennheiser, TASCAM, ZOOM, Saramonic, BOYA •Sweat and Dust-Proof Made Primarily for Indoor and Outdoor Activities •Designed for Broadcasters, TV Presenters, Lecturers, Musicians, Actors, Singers,	55
	ck055	LPM2 3.5mm TRS connector	LPM2		•3.5mm TRS Connector •Professional omnidirectional condenser microphone •Compatible with brands : CKMOVA, RODE, Sennheiser, TASCAM, ZOOM, Saramonic, BOYA •Sweat and Dust-Proof Made Primarily for Indoor and Outdoor Activities •Designed for Broadcasters, TV Presenters, Lecturers, Musicians, Actors, Singers,	55
	ck056	LPM3 3-PIN Mini XLR	LPM3		•3-PIN Mini XLR •Professional omnidirectional condenser microphone •Compatible with brands : AKG, Samson •Sweat and Dust-Proof Made Primarily for Indoor and Outdoor Activities •Designed for Broadcasters, TV Presenters, Lecturers, Musicians, Actors, Singers,	55

	ck057	LPM4 4-PIN Mini XLR	LPM4		•4-PIN Mini XLR omnidirectional condenser microphone brands : SHURE, TOA, Line 6 •Sweat and Dust-Proof Made Primarily for Indoor and Outdoor Activities •Designed for Broadcasters, TV Presenters, Lecturers, Musicians, Actors, Singers, and Any Other Applications Requiring Minimum Microphone Visibility with	•Professional •Compatible with	55
	ck058	LPM5 4-PIN Mini XLR	LPM5		•4-PIN XLR omnidirectional condenser microphone brands : Audio-technica •Sweat and Dust-Proof Made Primarily for Indoor and Outdoor Activities •Designed for Broadcasters, TV Presenters, Lecturers, Musicians, Actors, Singers, and Any Other Applications Requiring Minimum Microphone Visibility with	•Professional •Compatible with	60
	ck059	AC-VM1 TRRS Clip-on Lav Mic	AC-VM1		Clip-on Omnidirectional Lavalier Microphone •Work for 3.5mm TRRS connector devices •Cable length 1.5m •Colour: Black		52
	ck060	AC-VM1W TRRS White Clip-on Lav Mic	AC-VM1W		Clip-on Omnidirectional Lavalier Microphone •Work for 3.5mm TRRS connector devices •Cable length 1.5m •Colour: White		52
Shotgun Microphone							
	ck070	DCM2 Shotgun Condenser Mic	DCM2		Supercardioid Condenser Shotgun Microphone • Super-Cardioid pickup pattern condenser microphone •150 Hz High Pass Filter filter to effectively reduce the pick up of low-frequency ambient noise - Power or AA Battery Supply Power •Alloy-aluminum body construction - Plated XLR Connector •Dimensions: ø: 22.3 x L: 360 mm •Includes Foam windscreen, XLR cable and two shock mount	•48V Phantom •Gold-	113

Microphone Boom Pole						
	ck071	BP30A Boom Pole	BP30A		Aluminum Telescoping Boompole with Internal XLR Cable •Durable utilizing black anodized lightweight aluminum construction •Internal coiled XLR cable and connection at the base •Smooth 5-section telescoping boompole •Adjustable from 0.86m to 3m •3/8" thread mates with most shockmounts and stands •Easy-twist locks make it possible to quickly shorten or lengthen the boompole •Includes 3/8" to 5/8" thread adapter & pouch	159
On-Camera Shotgun Microphone						
	ck072	VCM1 On-Camera Condenser Shotgun Mic	VCM1		Condenser Video Microphone for DSLR & Smartphone •Video microphone for DSLR or mirrorless or video camera. •Integrated shoe mount •Lightweight construction •No battery required •Includes TRS & TRRS two cables, foam windscreen and furry windscreen	55
	ck073	VCM5 On-Camera Condenser Shotgun Mic	VCM5		Condenser Video Microphone for DSLR & Smartphone • Output to both DSLR camera and smartphone • High-quality directional condenser microphone • Plug and play with 3.5mm TRRS connector • 3.5mm headphone monitor jack • Rugged aluminum alloy construction • Without battery required • Includes 3.5mm TRS & TRRS cable, foam & furry windscreen in one	67
Vlogging Bundle Kit						
	ck080	GT1 Selfie Tripod	GT1		Mini Multi-function Selfie Tripod • Innovative tailored for smartphone shooting & Video & Live • Unique 2 in 1 phone holder compatible for Mobile, DSLR • Phone holder with hot shoe design for different accessories •Weight 280g , with folded size 25cm. •Extension Max High:90cm •Weight Capacity: 2kg •Aluminum + ABS construction • Includes: Smartphone Holder, Tripod	52

	ck081	MST3 Vlogger Kit with Mic, Light, Tripod	MST3		Universal Vlogger Kit with VideoMic, Led Light & Extensible Tripod for Journalists, Vloggers, Youtubers, and Movie Makers. •compatible with DSLR, Smartphone and etc. •VCM5 microphone pickup to reduce background noise •FL20 LED light with 9 band warm & cold brightness switchable •GT1 Tripod with Unique 2 in 1 phone holder compatible for Mobile, DSLR •Includes Microphone, tripod, Led light and furry windscreen, micro charging cable.	90
Studio Dynamic Microphone System						
	ck090	DVM10 Dynamic Vocal Mic	DVM10		Handheld Dynamic Vocal Microphone •High-quality Dynamic Cardioid Microphone •Frequency response tailored for vocals, with brightened midrange and bass roll-off •With high resistance to feedback, enhanced rejection of ambient sound, and low handling noise •On & Off Switch function •Built-in spherical wind and pop filter •Durable aluminum alloy body construction •Includes 6.35m to XLR audio cable & Shock mount and Zipper Pouch	90
Studio Condenser Microphone						
	ck091	SUM3 Studio Condenser USB Mic	SUM3		Studio Quality USB Microphone •High-quality cardioid condenser perfect for podcasting & game streaming •Smooth frequency response provides natural sound in wide applications •Microphone gain control •Headphone volume control •Mute Function •3.5mm headphone output with zero-latency monitoring •Compatible with Type-C and Type-A Windows & Mac computers and Type-C Smartphone devices •Durable all metal construction •Work with 3/8" & 5/8" thread hole boom arm • Includes Type-C to Type-C & Type-C to Type-A audio output cables	82

	ck092	SXM-3 Studio Condenser XLR Mic	SXM-3		Studio XLR Large Diaphragm Condenser Microphone •Large diaphragm for smooth, natural sound and low noise •Cardioid polar pattern reduces pickup of sounds from the sides and rear •Custom shock mount provides superior isolation •Standard 3-pin XLR Connector •Rugged all-metal body and robust design withstands tough use •Versatile for streaming and podcasting applications •Includes microphone, shock mount and 3-pin XLR cable	97
	ck093	SXM5 Studio Condenser USB Mic	SXM5		Studio USB Large Diaphragm Condenser Microphone •Large diaphragm for smooth, natural sound and low noise for streaming & podcasting applications •Microphone gain control •Headphone volume control •Mute Function •3.5mm headphone output with zero-latency monitoring •Compatible with Type-C and Type-A Windows & Mac computers and Type-C Smartphone devices •Durable all metal construction •Work with 3/8" & 5/8" thread hole boom arm •Includes Type-C to Type-C & Type-C to Type-A audio output cables	90
	ck094	SPS-1 Mic Pop Filter	SPS-1		Dual Layered Professional Microphone Pop Filter •Double layered pop filters make the blast easily contained to produce great quality recordings •Steel metal holder fully support the filter's weight to remain stability •Adjustable gooseneck handily adjust the angle and distance between the filter and the microphone to best fit your needs •Multi-scene application for singing, voiceover, podcasts, vlogging and anywhere else you need quality sound. •Banish the dreaded hissing and lisping sounds that come when pronouncing •Swivel mount for easy installation	45
	ck095	SRF5 Mic Sound Shield Reflection Filter	SRF5		Professional Sound Shield Reflection Filter •Compact microphone isolation solution for absorbing unwanted room noise& reflections •High-density open-cell acoustic-foam layer •5-Panel perforated ABS screen •Adjust side panels for varied isolation •Work can be set on Desktop or table •Lightweight and easy to assemble •Work can be used for home studio, rehearsal studio and etc Size: 70 x 4 x 28 cm	75

	ck096	SAS-1 Adjustable Desktop Boom Arm Stand	SAS-1		Adjustable Desktop Boom Arm Stand •Built-in 5/8" screw makes the stand compatible with all kinds of microphones •Durable Dual suspension springs on each boom arm protects microphone from suddenly dropping •Adjustable & folding arm and swivel table mount make you easily adjust the mic to the best position •Multiple protection clamp with high strength rubber mat to protect your furniture •Folding arm in portable size which easily to carry •Ideal for radio broadcasting studio, voice-over sound studio and so on	48
	ck097	SAS-2 Adjustable Desktop Boom Arm Stand	SAS-2		Professional Adjustable Desktop Boom Arm Stand •Sturdy high quality steel and electrostatic powder spraying tech •Boom arm offers 3/8" and 5/8" mic clip threading for easy microphone integration •Can be easily attached to a desk or tabletop with sturdy C-clamp mount or fixed permanently to a surface with flange mount •Supports microphones up to 2.2kg •Foldable arm band for simple transportation and storage •Includes boom arm, magic cable tie and 5/8-inch screw	67
	ck098	SAS-3 Adjustable Desktop Boom Arm Stand	SAS-3		Premium Adjustable Desktop Boom Arm Stand •Stylish and sturdy premium desktop boom arm that can be articulated to the perfect position •Adapts to most microphone stands using 3/8" and 5/8" mounting threads •Hand-tightened friction hinges for smooth, quiet operation •Supports microphones up to 2.0kg •Central axis can be rotated 180 degrees for storage and transportation •Includes boom arm, magic cable tie and 5/8-inch screw & shock mount	67


Conference Microphone System						
	ck100	GMC10 Conference Gooseneck Condenser Mic with XLR Output	GMC10		Desk-Top Mounted Supercardioid Gooseneck Microphone • High quality supercardioid condenser gooseneck microphone(3-pin XLR output) • Designed for podium and desktop use in speech, presentations and conferences • Wide dynamic range and frequency response for accurate sound reproduction across the audio spectrum • MUTE mode switch • Flexible dual -section gooseneck enables ease of use and positioning • Built-in LED indicator shows Talk/Mute status at any time • Powered by +48V phantom power • Foam windscreen included	113
	ck101	CUM2 Conference USB Mic	CUM2		Conferene USB Microphone • Compatible with Mac & Windows with USB-C and USB-A and Andriod smartphone with USB-C & Apple Lighting connector devices • 360°omnidirectional audio pick up • Clear audio & noise reduction technology providing crystal clear sound to you • 3.5mm Headphone monitor jack(Real-time monitor & playback listen) • Quickly mute or play function • No drivers and battery needed • Working with in a 5m radius range • Durable aluminum construction • Includes USB-C to USB-C, USB-C to USB-A output cable	75
Plug & Play Microphone for Smartphone						
	ck110	SPM3 Plug & Play Condenser Mic with 3.5mm output	SPM3		Flexible Compact Condenser Microphone for 3.5mm Smartphone & DSLRs • Professional directional condenser microphone • Plug & Play working • Flexible rotation 180 degrees design • Camera & Phone function switch • Gain switch with 2 levels(-10dB, 0dB) • No battery needed • Includes furry windscreen	55

	ck111	SPM3C Plug & Play Condenser Mic with Type-C output	SPM3C		Flexible Compact Condenser Microphone for Type-C Devices •Professional directional condenser microphone •Plug & Play working •Flexible rotation 180 degrees design •Low-cut filter(120Hz) •Gain switch with 2 levels(-10dB, 0dB) •No battery needed •Includes furry windscreen	61
	ck112	SPM3L Plug & Play Condenser Mic with Apple Lightning output	SPM3L		Flexible Compact Condenser Microphone for Apple Lightning Devices •Professional directional condenser microphone •Plug & Play working •Flexible rotation 180 degrees design •Low-cut filter(120Hz) •Gain switch with 2 levels(-10dB, 0dB) •No battery needed •Includes furry windscreen	73
Computer USB Lavalier Microphone						
	ck120	LUM2 Computer USB Lav Condenser Mic with 2m cable	LUM2		For Windows and Mac computers with USB-A port •Omnidirectional condenser microphone •With built-in noise cancellation professional audio decoder chip •Durable metal construction USB connector •2m cable length	49
	ck121	LUM4 Computer USB Lav Condenser Mic with 4m cable	LUM4		For Windows and Mac computers with USB-A port •Omnidirectional condenser microphone •With built-in noise cancellation professional audio decoder chip •Durable metal construction USB connector •4m cable length	55
	ck122	LUM6 Computer USB Condenser Lav Mic with 6m cable	LUM6		For Windows and Mac computers with USB-A port •Omnidirectional condenser microphone •With built-in noise cancellation professional audio decoder chip •Durable metal construction USB connector •6m cable length	60

Lavalier microphone

ck130	LCM3 Lav Condenser Mic with 3.5mm Output , LR44 battery (included) , 8m cable	LCM3		Omnidirectional condenser microphone •Clip-On Mic for Smartphone, DSLR, Audio recorders and PC •Powered by one LR44 battery(included) •All metal construction •8m(26ft) cable fits various using conditions •Includes lapel clip, foam windscreen, 1/4"adapter	52
ck131	LCM5 Lav Condenser Mic with 3.5mm Output, Built-in lithium battery, Noise Cut Switch, 8m cable	LCM5		Omnidirectional condenser microphone •Clip-On Mic for Smartphone, DSLR, Audio recorders and PC •External noise cut switch helps to reduce low-frequency noise •Built-in lithium battery •Low power indicator •8m(26ft) cable fits various using conditions •All metal construction •Includes lapel clip, foam windscreen, 1/4"adapter	60
ck132	LCM2 Lav Condenser Mic with 3.5mm Output , Low Cut Filter (120Hz) , 6m cable	LCM2		Lavalier Microphone for DSLR, smartphone, audio recorder, PC and etc •Omnidirectional condenser lavalier microphone •3.5mm TRRS audio output •Smartphone & DSLR output switch •Low cut filter function (120Hz) •6 meter audio cable length •Without battery required •Includes microphone, Durable foam windscreen	49
ck133	LCM2D Lav Condenser Mic Dual-Head with 3.5mm Output , Low Cut Filter (120Hz) , 6m cable	LCM2D		Dual-Head Lavalier Microphone for DSLR, smartphone, audio recorder, PC and etc •Omnidirectional condenser lavalier microphone •3.5mm TRRS audio output •Smartphone & DSLR output switch •Low cut filter function (120Hz) •6 meter audio cable length •Without battery required	55
ck134	LCM2C Lav Condenser Mic with Type-C Output , Low Cut Filter (120Hz) , 6m cable	LCM2C		Lavalier Microphone for USB Type-C Devices •Omnidirectional condenser lavalier microphone •Two position level control(-10dB, 0dB) •Low cut filter function (120Hz) •6 meter audio cable length •Without battery required •Includes microphone, Durable foam windscreen	60

	ck135	LCM2CD Lav Condenser Mic Dual-Head with Type-C Output , Low Cut Filter (120Hz) , 6m cable	LCM2CD		Dual-Head Lavalier Microphone for USB Type-C Devices •Dual-head Omnidirectional condenser lavalier microphone •Two position level control(-10dB, 0dB) •Low cut filter function (120Hz) •6 meter audio cable length •Without battery required •Includes microphone, Durable foam windscreen	67
	ck136	LCM2L Lav Condenser Mic with Apple Lightning Output , Low Cut Filter (120Hz) , 6m cable	LCM2L		Lavalier Microphone for iOS Lightning Devices •Omnidirectional condenser lavalier microphone •Two position level control(-10dB, 0dB) •Low cut filter function (120Hz) •6 meter audio cable length •Without battery required •Includes microphone, Durable foam windscreen	78
	ck137	LCM2LD Lav Condenser Mic Dual-Head with Apple Lightning Output , Low Cut Filter (120Hz) , 6m cable	LCM2LD		Dual-Head Lavalier Microphone for iOS Lightning Devices •Dual-head Omnidirectional condenser lavalier microphone •Two position level control(-10dB, 0dB) •Low cut filter function (120Hz) •6 meter audio cable length •Without battery required •Includes microphone, Durable foam windscreen	85
	ck138	LCM6 Lav Condenser Mic with 3.5mm Output , Low Cut Filter (180Hz) , 2m + 4m extension cable	LCM6		Lavalier Microphone for DSLR, smartphone, audio recorder, PC and etc •Omnidirectional condenser lavalier microphone •Real-time headphone monitor jack •Input level control wheel •Low cut filter function (180Hz) •Low power indicator •Powered by built-in rechargeable battery •2 meter + 4 meter extension cable length •Includes microphone, Durable foam windscreen, 1/4"adapter and Type-C	67
	ck139	LCM6D Lav Condenser Mic with 3.5mm Output , Low Cut Filter (180Hz) , 3m + 3m extension cable	LCM6D		Dual Head Lavalier Microphone for DSLR, smartphone, audio recorder, PC and etc •Dual-head Omnidirectional condenser lavalier microphone •Real-time headphone monitor jack •Input level control wheel •Low cut filter function(180Hz) •Low power indicator •Powered by built-in rechargeable battery •3 meter + 3 meter extension cable length •Includes microphone, Durable foam windscreen, 1/4"adapter and Type-C	75

	ck140	LCM6C Lav Condenser Mic with Type-C Output , Low Cut Filter (180Hz) , 2m + 4m extension cable	LCM6C		Lavalier Microphone for USB Type-C Devices • Omnidirectional condenser lavalier microphone • Real-time headphone monitor jack • Input level control wheel • Low cut filter function (180Hz) • Low power indicator • Powered by built-in rechargeable battery • 2 meter + 4 meter extension cable length • Includes microphone, Durable foam windscreen and Type-C charge cable	82
	ck141	LCM6CD Lav Condenser Mic with Type-C Output , Low Cut Filter (180Hz) , 3m + 3m extension cable	LCM6CD		Dual Head Lavalier Microphone for USB Type-C Devices • Dual-head Omnidirectional condenser lavalier microphone • Real-time headphone monitor jack • Input level control wheel • Low cut filter function (180Hz) • Low power indicator • Powered by built-in rechargeable battery • 3 meter + 3 meter extension cable length • Includes microphone, Durable foam windscreen, 1/4" adapter and Type-C charge cable	90
	ck142	LCM6L Lav Condenser Mic with Apple Lightning Output , Low Cut Filter (180Hz) , 4m + 2m extension cable	LCM6L		Lavalier Microphone for iOS Lightning Devices • Omnidirectional condenser lavalier microphone • Real-time headphone monitor jack • Input level control wheel • Low cut filter function (180Hz) • Low power indicator • Powered by built-in rechargeable battery • 4 meter + 2 meter extension cable length • Includes microphone, Durable foam windscreen and Type-C charge cable	120
Audio Cable						
	ck150	AC-UC3 3.5mm TRS(male) to USB Type-C cable	AC-UC3		3.5mm TRS(male) to USB Type-C cable • Cable length: 12cm	48
	ck151	AC-LM3 3.5mm TRS(male) to Lightning cable	AC-LM3		3.5mm TRS(male) to Lightning cable • Cable length: 12cm	57
	ck152	AC-A35 3.5mm TRS to USB Type-A audio cable	AC-A35		3.5mm TRS to USB Type-A audio cable • For all microphones with 3.5mm TRS output jack • Audio cable for input sound to PC and Mac • Cable length: 1.2m	52
	ck153	AC-TRX Female 3-pin XLR to 3.5mm TRRS Male cable	AC-TRX		Female 3-pin XLR to 3.5mm TRRS Male cable • 3.5mm output to both smartphone and camera • Cable length: 6m	48

	ck154	AC-UCX Female 3-pin XLR to USB Type-C cable	AC-UCX		Female 3-pin XLR to USB Type-C cable - Type-C output for Smartphone & PC devices - Cable length: 6m	60
	ck155	AC-TLX Locking 3.5mm TRS Male to 3-pin XLR Male cable	AC-TLX		Locking 3.5mm TRS Male to 3-pin XLR Male cable Cable length 48cm	49
	ck156	AC-TLX2 Locking 3.5mm TRS Male to Dual 3-pin XLR Male Stereo Output cable	AC-TLX2		Locking 3.5mm TRS Male to Dual 3-pin XLR Male Stereo Output cable Cable length 48cm	55
	ck157	AC-TLS Locking 3.5mm TRS Male to 3.5mm TRS Male cable	AC-TLS		Locking 3.5mm TRS Male to 3.5mm TRS Male cable - Work for DSLR & Audio mixer - Cable length 12cm	45
	ck158	AC-TRS 3.5mm TRS Male to 3.5mm TRRS Male	AC-TRS		3.5mm TRS Male to 3.5mm TRRS Male - Output to smartphone devices - Cable length 12cm	43
	ck159	AC-TR2 3.5mm TRRS Male to 3.5mm TRRS Male	AC-TR2		3.5mm TRRS Male to 3.5mm TRRS Male - Output to smartphone devices & Line input - Cable length 12cm	43
	ck160	AC-TTS 3.5mm TRS Male to 3.5mm TRS Male cable	AC-TTS		3.5mm TRS Male to 3.5mm TRS Male cable - Work for DSLR & Audio mixer - Cable length 12cm	42
	ck161	AC-LF3 3.5mm TRRS Female to Lightning	AC-LF3		3.5mm TRRS Female to Lightning - Work for iPhone Lightning Connector - Cable length 6cm	55
	ck162	AC-TFS 3.5mm TRS Female to 3.5mm TRRS Male	AC-TFS		3.5mm TRS Female to 3.5mm TRRS Male - Work for iPhone & Android Smartphones - Cable length 12cm	43
	ck163	AC-XLR 3-pin XLR Female to 3-pin XLR Male cable	AC-XLR		3-pin XLR Female to 3-pin XLR Male cable Cable length 6m	52
	ck16	AC-XL6 6.35mm to 3-pin XLR Female cable	AC-XL6		6.35mm to 3-pin XLR Female cable Cable length 6m	52

Foam & Furry Windscreen

ck170	FW-1 Lav Mic Windscreen for Outdoor Interview	FW-1		Lavalier Microphone Furry Windscreen for Outdoor Interview •3 Packs lavalier microphone furry windscreen made of artificial fur •Fits most lavalier with foam cover, that around 1cm in diameter •Deadcat lavalier windscreen to reduce noise and ambience •Easy to Use, soft and comfortable	45
ck171	FW-2 Shotgun Mic Furry Windscreen for Outdoor Interview	FW-2		Shotgun Microphone Furry Windscreen for Outdoor Interview •.Professional furry windscreen fits DCM1, DCM1 PRO, DCM2 and other other shotgun mics from Rode, Sennheiser, Audio-Technica, Sony, Azden, Shure, DPA, Deity, Schoeps & more •Multi-layered wind Portection reduces wind noise, block out plosives, cut down backgroud noise for outdoor shots •Lightweight and portable for easier to carry when recording in adverse environmental conditions	52
ck172	FW-3 On-Camera Mic Foam & Furry Windscreen In One	FW-3		On-Camera Microphone Foam & Furry Windscreen In One •Fits VCM1 series & VCM3 series & VCM5 and other On-Camera Microphone •Reduce noise and ambience •Easy to use, soft and comfortabl	44
ck173	FW-6 Vocal X Wireless Mic Furry Windscreen	FW-6		Vocal X Wireless Mic Furry Windscreen •Fits Vocal X Transmitter Buil-in Mic •Durable clamp with soft furry windscreen •Reduce noise and ambience •Easy to use, soft and comfortabl •Colour: Black Clamp	44
ck174	FW-6W Vocal X White Wireless Mic Furry Windscreen	FW-6W		Vocal X Wireless Mic Furry Windscreen •Fits Vocal X Transmitter Buil-in Mic •Durable clamp with soft furry windscreen •Reduce noise and ambience •Easy to use, soft and comfortabl •Colour: White Clamp	44
ck175	FW-4 Foam Windscreen for Lav Mic	FW-4		Foam Windscreen for Lavalier Microphone •Fits most Lavalier Microphone •3pcs one packge	40
ck176	FW-5 Foam Windscreen for LCM, LUM, and 10.5mm Lav Mic	FW-5		Foam Windscreen for Lavalier Microphone •Durable high-density soft foam windscreen •Fits most LCM2 & LCM6 & LUM Series Mic and diameter 10.5mm Lavalier Microphone •3pcs one packge	42

	ck177	FW-7 Foam Windscreen for Vocal X/M, and 6mm Lav Mic	FW-7		Foam Windscreen for Lavalier Microphone •Durable high-density soft foam windscreen •For Vocal X, M series & diameter 6mm Lavalier Microphone •3pcs one packge •Colour: Black	42
	ck178	FW-7W Foam Windscreen White for Vocal X/M, and 6mm Lav Mic	FW-7W		Foam Windscreen for Lavalier Microphone •Durable high-density soft foam windscreen •For Vocal X, M series & diameter 6mm Lavalier Microphone •3pcs one packge •Colour: White	42
Accessories						
	ck180	FL20 Universal Flash LED Light	FL20		Universal Flash LED Light Charging time: 1.5 hours Type: Battery Capacity: 200mAh LED Light Band: 9 Dimension: 110*40*25mm 65*40*38mm (folded) Includes: Led light and charging cable	43
	ck181	AC-MC Mic Clip of Lav Mic	AC-MC		Mic Clip of Lavalier Microphone •Metal tie clip is made of premium materials, with high elasticity and easy to be clipped on any collar •Fits all most lavalier lapel microphone •3pcs one packge •Colour: Black	41
	ck182	AC-MCW Mic Clip of Lav Mic White	AC-MCW		Mic Clip of Lavalier Microphone •Metal tie clip is made of premium materials, with high elasticity and easy to be clipped on any collar •Fits all most lavalier lapel microphone •3pcs one packge •Colour: White	41
	ck183	AC-HC1 Waterproof Hard Suitcase for Vocal M V1/V2	AC-HC1		Waterproof Hard Suitcase •Water- and dust-proof gasket seal •Foam set included •Lightweight and hard construction design •Suitable for Vocal M V1, Vocal M V2	67
	ck184	AC-HC2 Waterproof Hard Suitcase for Vocal M V3/V4	AC-HC2		Waterproof Hard Suitcase •Water- and dust-proof gasket seal •Foam set included •Lightweight and hard construction design •Suitable for Vocal M V3, Vocal M V4	67
	ck185	AC-A1 Antenna for Vocal M System	AC-A1		Antenna for Vocal M System •Detachable and 360° switchable antenna •Compatible with Vocal M transmitter & receiver	52

	ck186	AC-SM1 Shoe Mount Adapter	AC-SM1		Shoe Mount Adapter •Durable ABS construction Vocal M Receiver •For	44
	ck187	AC-BC1 Belt Clip	AC-BC1		Belt Clip •Durable metal construction Vocal M transmitter & receiver package •For •3pcs one	44

Mail your order to orders@mediamachine.nl

<https://www.ckmova.com/>

V26.2 | valid 23 February 2026 | All prices ex VAT and freight costs

Hazepad 43, 1544 PW Zaandijk, The Netherlands, +31 75 6572290.

WIRELESS INTERCOM

1.9Ghz Full-Duplex Wireless Intercom with Single-Ear Headset

PRODUCT CODE	PRODUCT NAME	SKU	PHOTO	HIGHLIGHTS	MSRP (EUR)
ck300	Wicom E S3 3 Single-Ear Headsets Intercom System	Wicom E S3		Full-Duplex Wireless DECT Intercom System with 3 Single-Ear Headsets • One master headset & two remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function • A & B button to switch to A & B Isolate Setting	589

	ck301	Wicom E S5 5 Single-Ear Headsets Intercom System	Wicom E S5		Full-Duplex Wireless DECT Intercom System with 5 Single-Ear Headsets • One master headset & four remote headsets Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function • A & B button to switch to A & B	899
	ck302	Wicom E S7 7 Single-Ear Headsets Intercom System	Wicom E S7		Full-Duplex Wireless DECT Intercom System with 7 Single-Ear Headsets • One master headset & six remote headsets Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function • A & B button to switch to A & B Isolate Setting	1199
	ck303	Wicom E S9 9 Single-Ear Headsets Intercom System	Wicom E S9		Full-Duplex Wireless DECT Intercom System with 9 Single-Ear Headsets • One master headset & eight remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function • A & B button to switch to A & B Isolate Setting	1459


	ck304	Wicom E SM Single-Ear Master Headset for Intercom System	Wicom E SM		Full-Duplex Wireless DECT Intercom System with Single-Ear Headset • One master Headset	249
	ck305	Wicom E SR Single-Ear Remote Headset for Intercom System	Wicom E SR		Full-Duplex Wireless DECT Intercom System with Single-Ear Headset • One remote Headset	179
1.9Ghz Full-Duplex Wireless Intercom with Dual-Ear Headsets						
	ck310	Wicom E D3 3 Dual-Ear Headsets Intercom System	Wicom E D3		Full-Duplex Wireless DECT Intercom System with 3 Dual-Ear Headsets • One master headset & two remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function • A & B button to switch to A & B	619

	ck311	Wicom E D5 5 Dual-Ear Headsets Intercom System	Wicom E D5		Full-Duplex Wireless DECT Intercom System with 5 Dual-Ear Headsets • One master headset & four remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function • A & B button to switch to A & B	999
	ck312	Wicom E D7 7 Dual-Ear Headsets Intercom System	Wicom E D7		Full-Duplex Wireless DECT Intercom System with 7 Dual-Ear Headsets • One master headset & six remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function • A & B button to switch to A & B	1299
	ck313	Wicom E D9 9 Dual-Ear Headsets Intercom System	Wicom E D9		Full-Duplex Wireless DECT Intercom System with 9 Dual-Ear Headsets • One master headset & eight remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable function • A & B button to switch to A & B	1599

	ck314	Wicom E DM Dual-Ear Master Headset for Intercom System	Wicom E DM		Full-Duplex Wireless DECT Intercom System with Dual-Ear Headset One master Headset	279
	ck315	Wicom E DR Dual-Ear Remote Headset for Intercom System	Wicom E DR		Full-Duplex Wireless DECT Intercom System with Dual-Ear Headset One remote Headset	199
1.9Ghz Full-Duplex Wireless Intercom with Dual-Ear & Single-Ear Headset Mixing Combo						
	ck320	Wicom E SM5 One Single-Ear Master + Two Single-Ear + Two Dual-Ear Remote Headsets Intercom System	Wicom E SM5		Full-Duplex Wireless Intercom System with One Single-Ear Master headset + Two Single-Ear Remote Headsets + Two Dual-Ear Remote headsets - One master headset & two remote headsets - Working range of up to 400m - Dual-Mic ENC technology that delivers clear sound captured from loud environments - PPT Function & Mute switchable function	939

	ck321	Wicom E SM9 One Single-Ear Master + Four Single-Ear + Four Dual-Ear Remote Headsets Intercom System	Wicom E SM9		Full-Duplex Wireless Intercom System with One Single-Ear Master headset + Four Single-Ear Remote Headsets + Four Dual-Ear Remote headsets • One master headset & four remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable	1539
	ck322	Wicom E DM5 One Dual-Ear Master + Two Single-Ear + Two Dual-Ear Remote Headsets Intercom System	Wicom E DM5		Full-Duplex Wireless Intercom System with One dual-Ear Master headset + Two Single-Ear Remote Headsets + Two Dual-Ear Remote headsets • One master headset & six remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable	959
	ck323	Wicom E DM9 One Dual-Ear Master + Four Single-Ear + Four Dual-Ear Remote Headsets Intercom System	Wicom E DM9		Full-Duplex Wireless Intercom System with One dual-Ear Master headset + Four Single-Ear Remote Headsets + Four Dual-Ear Remote headsets • One master headset & eight remote headsets • Working range of up to 400m • Dual-Mic ENC technology that delivers clear sound captured from loud environments • PPT Function & Mute switchable	1559

Accessories

ck330	BL-5C Battery for Wireless Intercom	BL-5C		Battery for Wireless Intercom • 1pc 1000mAh battery packed	15
ck331	AC-BC9 Battery Charger for Wireless Intercom	AC-BC9		Battery Charger for Wireless Intercom • Charge up to 9 batteries simultaneously • 12V DC adapter included	79
ck332	AC-T3S 3.5mm TRRS to TRRS for two master headsets link to more remote headsets	AC-T3S		3.5mm TRRS to TRRS for two master headsets link to more remote headsets • One 2m straight cable	20
ck333	AC-T3C 3.5mm TRRS to TRRS for Master headset computer cloud meeting	AC-T3C		3.5mm TRRS to TRRS for Master headset computer cloud meeting • One 2m straight cable	20
ck334	FW-8 Wicom E Mic Foam Windscreen	FW-8		Wicom E Microphone Foam Windscreen • 3pcs foam windscreen packed	8
ck335	FW-9 Wicom E Earmuffs	FW-9		Wicom E Earmuffs • 2pcs earmuff packed	12
ck336	AC-HC3 Wicom E Suitcase-Small	AC-HC3		Wicom E product Carry Suitcase-Small size • Suitable for Wicom E S3, S5, D3, D5	69

	ck337	AC-HC4 Wicom E Suitcase-Big	AC-HC4		Wicom E product Carry Suitcase-Big size •Suitable for Wicome E S7, S9, D5, D9	109
--	-------	-------------------------------	--------	---	---	-----

Mail your order to orders@mediamachine.nl <https://www.ckmova.com/>

V26.2 | valid 23 February 2026 | prices ex VAT and freight costs

Hazepad 43, 1544 PW Zaandijk, The Netherlands, +31 75 6572290.

HEADPHONE



PRODUCT CODE	PRODUCT NAME	SKU	PHOTO	HIGHLIGHTS	MSRP (EUR)
Professional Headphone					
ck400	ME-S10 Monitor Headphone	ME-S10	 	Professional Field and Studio Monitor Headphone • Ideal for use in commercial recording, broadcast, home studio, and live and location sound • Closed-back design to help block unwanted environmental noise • 50mm large aperture dynamic drivers for high quality sound reproduction • 90° swiveling earcups for easy, one-ear monitoring • Professional-grade protein earmuffs deliver more durability and comfort • Collapsible for space-saving portability • Detachable twist-locking output cable design conveniently enables cable swapping • Includes detachable 1.5m coiled & 3m straight cables,	109

	ck401	ME-E1 In-Ear Monitor Earphone	ME-E1			Professional In-Ear Monitor Earphone •Dynamic & Balance Armature(BA) Hybrid IEM •It delivers powerful bass and clear high-frequency resolution. •Sound-isolating earphones •Durable & detachable cables for easy use •Three sizes of eartips, so you can get just the right fit to reduce ambient noise •Perfectly with any wireless in-ear monitor systems for stage and studio applications •3.5mm connector provides wide compatibility with a variety of smartphones, mobile devices, laptops, and more •With 120cm length cable	105
TWS Earbuds							
	ck410	MO2-B TWS Earphone Black	MO2-B			TWS Earphone •Version: V5.0 more •Transmission distance: ≥10m •Support agreement: A2DP/AVCTP/AVDTP/AVRCP/HFP •Earphone charging time: 1 hour	60
	ck411	MO2-W TWS Earphone White	MO2-W			•Battery box Charging time: 1.5 hours •Earbuds battery capacity: 40mAh •Music time: 3 hours •Talk time: 2.5 hours •Charging interface: Type-C •Rechargeable battery box: 200 mAh	60
	ck412	MO7-B ENC TWS Earphone Black	MO7-B			ENC TWS Earphone (Noise Reduction for Talk & Play) •Version: V5.1+EDR •Clour: Black, White •Talk time: 4hours •Play time: 4 hours •Transmission distance: ≥10m •Earphone charging time: 1 hour	77

	ck413	MO7-W ENC TWS Earphone White	MO7-W			• Earphone charging time: 1 hour • Battery box Charging time: 2 hours • Earphone battery capacity: 40mAH • Battery box battery capacity: 300mAH • Includes: Earphone, Battery box and charging cable and flexible silicone tips	77
--	-------	--------------------------------	--------------	---	--	---	----

MUSIC & STAGE AUDIO

PRODUCT CODE	PRODUCT NAME	SKU	PHOTO	HIGHLIGHTS	MSRP (EUR)
2.4Ghz Digital Multi-Combined Interfaces Wireless System (All Vocal G different interfaces, transmitters & receivers can be mixed and matched)					
ck500	Vocal G V1 Black Wireless System for Guitar and All 1/4" TS Instruments			2.4Ghz Wireless Guitar & Bass system compatible with all active & passive 1/4" TS instruments (One 1/4"TS Transmitter + One 1/4" TS Receiver Combo) • 2.4Ghz Digital Wireless for guitar & bass and other 1/4"TS instruments • Automatic frequency hopping technology enable stable signal transmission • High-Quality 24-Bit/48 kHz without any audio compression • 84 wireless channels for options with 6 groups for settings • Less than 5 ms of Latency and low distortion rate • Wide dynamic range up to 123dB • Up to 10 hours battery life • Convenient Type-C Charging port • Including charging cable • Various color versions available(Black, Redwood, Mahogany, Red, Cherrysunburst, Pink and Blue)	115
ck501	Vocal G V1 Redwood Wireless System for Guitar and All 1/4" TS Instruments				119

	ck502	Vocal G V1 Mahogan Wireless System for Guitar and All 1/4" TS Instruments	Vocal G V1			119
	ck503	Vocal G V1 Red Wireless System for Guitar and All 1/4" TS Instruments				119
	ck504	Vocal G V1 CherrySunburst Wireless System for Guitar and All 1/4" TS Instruments				119
	ck505	Vocal G V1 Pink Wireless System for Guitar and All 1/4" TS Instruments				119

	ck506	Vocal G V1 Blue Wireless System for Guitar and All 1/4" TS Instruments				119
	ck520	Vocal G V2 Wireless System with XLR TX+RX, for AUX/Line/Dynamic Mic to PA/DJ System	Vocal G V2		2.4Ghz Wireless system Transmitter for AUX & Line & Dynamic Mic and Receiver for PA & DJ system (One 3-pin XLR Transmitter + One 3-pin XLR Receiver Combo) • Automatic frequency hopping technology enable stable signal transmission • Working distance up to 165feet/50m(without obstacle), 98feet/30m(with obstacle) • High-Quality 24-Bit/48 kHz without any audio compression • 84 wireless channels for options with 6 groups for settings • Less than 5 ms of Latency and low distortion rate • Wide dynamic range up to 123dB • Up to 10 hours battery life • Convenient	139
	ck521	Vocal G V3 Wireless System with XLR TX+RX, for Condenser Mic to PA/DJ System	Vocal G V3		2.4Ghz Wireless system for Condenser Microphone(supply with 12 V & 48V Phantom Power) (One 3-pin XLR Transmitter + One 3-pin XLR Receiver Combo) • Automatic frequency hopping technology enable stable signal transmission • Working distance up to 165feet/50m(without obstacle), 98feet/30m(with obstacle) • High-Quality 24-Bit/48 kHz without any audio compression • 84 wireless channels for options with 6 groups for settings • Less than 5 ms of Latency and low distortion rate • Wide dynamic range up to 123dB • Up to 10 hours battery life • Convenient	139

ck530	Vocal G V4 Wireless In-Ear Monitor System with XLR TX+ 3.5mm TRS RX	Vocal G V4		2.4Ghz Wireless In-Ear Monitor System (One 3-pin Male XLR Transmitter + One 3.5mm TRS Receiver Combo) • Automatic frequency hopping technology enable stable signal transmission • Working distance up to 165feet/50m(without obstacle), 98feet/30m(with obstacle) • High-Quality 24-Bit/48 kHz without any audio compression • 84 wireless channels for options with 6 groups for settings • Less than 5 ms of Latency and low distortion rate • Wide dynamic range up to 123dB • Up to 10 hours battery life • Convenient	165
ck531	Vocal G V5 Wireless In-Ear Monitor System with XLR TX+ 2x RX 3.5mm TRS	Vocal G V5		2.4Ghz Wireless In-Ear Monitor System (One 3-pin Male XLR Transmitter + Two 3.5mm TRS Receivers Combo) • Automatic frequency hopping technology enable stable signal transmission • Working distance up to 165feet/50m(without obstacle), 98feet/30m(with obstacle) • High-Quality 24-Bit/48 kHz without any audio compression • 84 wireless channels for options with 6 groups for settings • Less than 5 ms of Latency and low distortion rate • Wide dynamic range up to 123dB • Up to 10 hours battery life • Convenient	249
ck532	Vocal G V6 Wireless In-Ear Monitor System with XLR TX+ 4x RX 3.5mm TRS	Vocal G V6		2.4Ghz Wireless In-Ear Monitor System (One 3-pin Male XLR Transmitter + Four 3.5mm TRS Receivers Combo) • Automatic frequency hopping technology enable stable signal transmission • Working distance up to 165feet/50m(without obstacle), 98feet/30m(with obstacle) • High-Quality 24-Bit/48 kHz without any audio compression • 84 wireless channels for options with 6 groups for settings • Less than 5 ms of Latency and low distortion rate • Wide dynamic range up to 123dB • Up to 10 hours battery life • Convenient Type-C Charging port Including 1/4" TS to Male 3-pin XLR Adapter & charging cable	425

	ck533	Vocal G V7 Wireless In-Ear Monitor System + In-ear headphone with XLR TX+ 2x RX 3.5mm TRS	Vocal G V7		2.4Ghz Wireless In-Ear Monitor System with In-ear Headphone (One 3-pin Male XLR Transmitter + One 3.5mm TRS Receiver & One In-ear headphone Combo) • Automatic frequency hopping technology enable stable signal transmission • Working distance up to 165feet/50m(without obstacle), 98feet/30m(with obstacle) • High-Quality 24-Bit/48 kHz without any audio compression • 84 wireless channels for options with 6 groups for settings • Less than 5 ms of Latency and low distortion rate • Wide dynamic range up to 123dB • Up to 10 hours battery life • Convenient Type-C Charging port	265
	ck534	Vocal G V8 Wireless In-Ear Monitor System + 2x In-ear headphone with XLR TX+ 2x RX 3.5mm TRS	Vocal G V8		2.4Ghz Wireless In-Ear Monitor System and In-ear Headphone (One 3-pin Male XLR Transmitter + Two 3.5mm TRS Receivers & Two In-ear headphones Combo) • Automatic frequency hopping technology enable stable signal transmission • Working distance up to 165feet/50m(without obstacle), 98feet/30m(with obstacle) • High-Quality 24-Bit/48 kHz without any audio compression • 84 wireless channels for options with 6 groups for settings • Less than 5 ms of Latency and low distortion rate • Wide dynamic range up to 123dB • Up to 10 hours battery life • Convenient Type-C Charging port	445

	ck535	Vocal G V9 Wireless In-Ear Monitor System + 4x In-ear headphone with XLR TX+ 4x RX 3.5mm TRS	Vocal G V9		2.4Ghz Wireless In-Ear Monitor System and In-ear Headphone (One 3-pin Male XLR Transmitter + Four 3.5mm TRS Receivers & Four In-ear headphones Combo) • Automatic frequency hopping technology enable stable signal transmission • Working distance up to 165feet/50m(without obstacle), 98feet/30m(with obstacle) • High-Quality 24-Bit/48 kHz without any audio compression • 84 wireless channels for options with 6 groups for settings • Less than 5 ms of Latency and low distortion rate • Wide dynamic range up to 123dB • Up to 10 hours battery life • Convenient Type-C Charging port	805
	ck540	Vocal G V10 Wireless In-Ear Monitor System with 1/4" TS TX+ 3.5mm TRS RX	Vocal G V10		2.4Ghz Wireless In-Ear Monitor System (One 1/4" TS Transmitter + One 3.5mm TRS Receiver Combo) • Automatic frequency hopping technology enable stable signal transmission • Working distance up to 165feet/50m(without obstacle), 98feet/30m(with obstacle) • High-Quality 24-Bit/48 kHz without any audio compression • 84 wireless channels for options with 6 groups for settings • Less than 5 ms of Latency and low distortion rate • Wide dynamic range up to 123dB • Up to 10 hours battery life • Convenient Type-C Charging port • Including charging cable	145

ck541	Vocal G V11 Wireless In-Ear Monitor System + In-ear headphone with 1/4" TS TX+ 3.5mm TRS RX	Vocal G V11		2.4Ghz Wireless In-Ear Monitor System and In-ear Headphone (One 1/4" TS Transmitter + One 3.5mm TRS Receiver & One In-ear headphone Combo) • Automatic frequency hopping technology enable stable signal transmission • Working distance up to 165feet/50m(without obstacle), 98feet/30m(with obstacle) • High-Quality 24-Bit/48 kHz without any audio compression • 84 wireless channels for options with 6 groups for settings • Less than 5 ms of Latency and low distortion rate • Wide dynamic range up to 123dB • Up to 10 hours battery life • Convenient Type-C Charging port	235
ck522	Vocal G V12 Wireless Audio System + Dynamic Mic with XLR TX+RX	Vocal G V12		2.4Ghz Wireless Audio System with Dynamic Microphone (One 3-pin XLR Transmitter + One 3-pin XLR Receiver Combo and one Dynamic Mic Combo) • Automatic frequency hopping technology enable stable signal transmission • Working distance up to 165feet/50m(without obstacle), 98feet/30m(with obstacle) • High-Quality 24-Bit/48 kHz without any audio compression • 84 wireless channels for options with 6 groups for settings • Less than 5 ms of Latency and low distortion rate • Wide dynamic range up to 123dB • Up to 10 hours battery life • Convenient Type-C Charging port	185
ck523	Vocal G V13 Dual Wireless System with 2x XLR TX + 2x XLR RX, for Mixers to PA & DJ System	Vocal G V13		2.4Ghz Dual Wireless System for Stereo Wireless connection from Mixers to PA & DJ system (Two 3-pin XLR Transmitters + Two 3-pin XLR Receivers Combo) • Automatic frequency hopping technology enable stable signal transmission • Working distance up to 165feet/50m(without obstacle), 98feet/30m(with obstacle) • High-Quality 24-Bit/48 kHz without any audio compression • 84 wireless channels for options with 6 groups for settings • Less than 5 ms of Latency and low distortion rate • Wide dynamic range up to 123dB • Up to 10 hours battery life • Convenient Type-C Charging port and 1/4" TS to 3-pin male XLR adapter	289

	ck550	Vocal G V14 Wireless Mic System + Headset Lav Mic with 3.5mm TRS TX + XLR RX	Vocal G V14		2.4Ghz Wireless Microphone System with Headset Microphone (One 3.5mm TRS Transmitter + One 3-pin XLR Receiver and One Headset Lavalier Mic Combo) • Automatic frequency hopping technology enable stable signal transmission • Working distance up to 165feet/50m(without obstacle), 98feet/30m(with obstacle) • High-Quality 24-Bit/48 kHz without any audio compression • 84 wireless channels for options with 6 groups for settings • Less than 5 ms of Latency and low distortion rate • Wide dynamic range up to 123dB • Up to 10 hours battery life • Convenient Type-C Charging port	185
	ck551	Vocal G V15 Wireless Mic System + Lav Mic with 3.5mm TRS TX + XLR RX	Vocal G V15		2.4Ghz Wireless Microphone System with Lavalier Microphone (One 3.5mm TRS Transmitter + One 3-pin XLR Receiver and One Lavalier Mic Combo) • Automatic frequency hopping technology enable stable signal transmission • Working distance up to 165feet/50m(without obstacle), 98feet/30m(with obstacle) • High-Quality 24-Bit/48 kHz without any audio compression • 84 wireless channels for options with 6 groups for settings • Less than 5 ms of Latency and low distortion rate • Wide dynamic range up to 123dB • Up to 10 hours battery life • Convenient Type-C Charging port • Including charging cable	185

	ck560	Vocal G V16 Wireless System + Gooseneck Mic for Wind Instruments with 3.5mm TRS TX + XLR RX	Vocal G V16		2.4Ghz Wireless system with Gooseneck Mic for Wind Instruments (One 3.5mm TRS Transmitter + One 3-pin XLR Receiver and One Gooseneck Mic Combo) • Automatic frequency hopping technology enable stable signal transmission • Working distance up to 165feet/50m(without obstacle), 98feet/30m(with obstacle) • High-Quality 24-Bit/48 kHz without any audio compression • 84 wireless channels for options with 6 groups for settings • Less than 5 ms of Latency and low distortion rate • Wide dynamic range up to 123dB • Up to 10 hours battery life • Convenient Type-C Charging port	195
	ck561	Vocal G V17 Wireless System + Gooseneck Mic for Acoustic Guitar with 3.5mm TRS TX + XLR RX	Vocal G V17		2.4Ghz Wireless system with Gooseneck Mic for Acoustic Guitar (One 3.5mm TRS Transmitter + One 3-pin XLR Receiver and One Gooseneck Mic Combo) • Automatic frequency hopping technology enable stable signal transmission • Working distance up to 165feet/50m(without obstacle), 98feet/30m(with obstacle) • High-Quality 24-Bit/48 kHz without any audio compression • 84 wireless channels for options with 6 groups for settings • Less than 5 ms of Latency and low distortion rate • Wide dynamic range up to 123dB • Up to 10 hours battery life • Convenient Type-C Charging port	195

ck562	Vocal G V18 Wireless System + Gooseneck Mic for Violin with 3.5mm TRS TX + XLR RX	Vocal G V18		2.4Ghz Wireless System with Gooseneck Mic for Violin (One 3.5mm TRS Transmitter + One 3-pin XLR Receiver and One Gooseneck Mic Combo) • Automatic frequency hopping technology enable stable signal transmission • Working distance up to 165feet/50m(without obstacle), 98feet/30m(with obstacle) • High-Quality 24-Bit/48 kHz without any audio compression • 84 wireless channels for options with 6 groups for settings • Less than 5 ms of Latency and low distortion rate • Wide dynamic range up to 123dB • Up to 10 hours battery life • Convenient Type-C Charging port • Including charging cable and clip for violin	195
Pickups					
ck570	VPS1 Piezo with Volume Control for Violin	VPS1		Bridge-Mounted Piezo with Volume Control for Violin and Viola • Offers wide band frequency response and excellent string balance • Feedback rejection feature provides excellent signal isolation for clear, true reproduction of the violin & viola's sound • Volume control makes it easy for performers to control the pickup output while onstage • Clamps easily onto the violin & Viola's bridge • Compatible with Vocal G V1 for wireless transmission	79

	ck571	VPS2 Piezo for Violin	VPS2		Bridge-Mounted Piezo for Violin and Viola •Offers wide band frequency response and excellent string balance •Feedback rejection feature provides excellent signal isolation for clear, true reproduction of the violin & viola's sound •Clamps easily onto the violin & viola's bridge •Compatible with Vocal G V1 for wireless transmission	75
	ck572	VPS3 Wooden Base with Volume Control for 4/4 Violin	VPS3		Bridge-Mounted Wooden Base with Volume Control for 4/4 Violin •Offers wide band frequency response and excellent string balance •Feedback rejection feature provides excellent signal isolation for clear, true reproduction of the violin's sound •Volume control makes it easy for performers to control the pickup output while onstage •Piezo-ceramic pickup skillfully crafted into a high-quality bridge •Compatible with Vocal G V1 for wireless transmission	69
	ck573	VPS4 Wooden Base for 4/4 Violin	VPS4		Bridge-Mounted Wooden Base for 4/4 Violin •Offers wide band frequency response and excellent string balance •Feedback rejection feature provides excellent signal isolation for clear, true reproduction of the violin's sound •Piezo-ceramic pickup skillfully crafted into a high-quality bridge •Compatible with Vocal G V1 for wireless transmission	65

Instrument Microphones

ck580	GNM1 Gooseneck Mic for 3.5mm TRS with Lock	GNM1		Gooseneck Supercardioid Condenser Microphone for 3.5mm TRS With Lock (Sennheiser & ckmoova and more brands) •Type : Supercardioid Condenser Microphone •Sensitivity: -45dB •Max. SPL: 138dB •Length: 165mm	45
ck581	GNM2 Gooseneck Mic for 3.5mm TS	GNM2		Gooseneck Supercardioid Condenser Microphone for 3.5mm TS •Type : Supercardioid Condenser Microphone •Sensitivity: -45dB •Max. SPL: 138dB •Length: 165mm •Includes Foam Windscreen	45
ck582	GNM3 Gooseneck Mic for 3-Pin Mini XLR (AKG)	GNM3		Gooseneck Supercardioid Condenser Microphone for 3-Pin Mini XLR (AKG) •Type : Supercardioid Condenser Microphone •Sensitivity: -45dB •Max. SPL: 138dB •Length: 165mm •Includes Foam Windscreen	45

	ck583	GNM4 Gooseneck Mic for 3-Pin Mini XLR (Shure)	GNM4		Gooseneck Supercardioid Condenser Microphone for 4-Pin Mini XLR (Shure) •Type : Supercardioid Condenser Microphone •Sensitivity: -45dB •Max. SPL: 138dB •Length: 165mm •Includes Foam Windscreen	45
Headphones						
	ck401	ME-E1 In-Ear Monitor Earp	ME-E1		Professional In-Ear Monitor Earphone •Dynamic & Balance Armature(BA) Hybrid IEM •It delivers powerful bass and clear high-frequency resolution. •Sound-isolating earphones •Durable & detachable cables for easy use •Three sizes of eartips, so you can get just the right fit to reduce ambient noise •Perfectly with any wireless in-ear monitor systems for stage and studio applications •3.5mm connector provides wide compatibility with a variety of smartphones, mobile devices, laptops, and more •With 120cm length cable	105

	ck400	ME-S10 Monitor Headpho	ME-S10		Professional Field and Studio Monitor Headphone • Ideal for use in commercial recording, broadcast, home studio, and live and location sound • Closed-back design to help block unwanted environmental noise • 50mm large aperture dynamic drivers for high quality sound reproduction • 90° swiveling earcups for easy, one-ear monitoring • Professional-grade protein earmuffs deliver more durability and comfort • Collapsible for space-saving portability • Detachable twist-locking output cable design conveniently enables cable swapping • Includes detachable 1.5m coiled & 3m straight cables, 3.5mm to 1/4" adapter and pouch	99
Accessories						
	ck590	AC-XM4 1/4" TS to Male 3-	AC-XM4		1/4" TS to Male 3-Pin XLR Adapter • 1/4" TS Male to 3-Pin XLR Male adapter is design to connect TS device to XLR device to output mono audio signal • CableCreation XLR to 6.35mm adapter use die-cast zinc alloy shell ensures long service life, and pure copper conductor provides lossless sound quality protection • Compatible for professional audio device like mixers, microphones, speakers, amplifiers, EQ, studio recording, rack gear, keyboards, guitars, electric piano, electric drums • Each package comes with 2 adapters	10

	ck591	AC-XF4 1/4" TS to Female 3-Pin XLR Adapter	AC-XF4		1/4" TS to Female 3-Pin XLR Adapter •1/4" TS Male to 3-Pin XLR Female adapter is design to connect TS device to XLR device to output mono audio signal •CableCreation XLR to 6.35mm adapter use die-cast zinc alloy shell ensures long service life, and pure copper conductor provides lossless sound quality protection •Compatible for professional audio device like mixers, microphones, speakers, amplifiers, EQ, studio recording, rack gear, keyboards, guitars, electric piano, electric drums •Each package comes with 2 adapters	10
	ck592	AC-BC2 Clamp for Wind Instruments	AC-BC2		Clamp for Wind Instruments •Specially designed for ckmoova 3.5mm TRS transmitter for clamping on Wind Instruments •Compatible with ckmoova 3.5mm TRS transmitter and Gooseneck straw	29
	ck593	AC-BC3 Clamp for Accoustic Guitar	AC-BC3		Clamp for Accoustic Guitar •Specially designed for ckmoova 3.5mm TRS transmitter for clamping on Accoustic Guitar. •Compatible with ckmoova 3.5mm TRS transmitter and Gooseneck straw	29

	ck594	AC-BC4 Clamp for Violin	AC-BC4		Clamp for Violin •Specially designed for ckmoval 3.5mm TRS transmitter for clamping on Violin •Compatiable with ckmoval 3.5mm TRS transmitter and Gooseneck straw	29
--	-------	---------------------------	---------------	--	--	----